

| Sampled | <u>26/11/2019</u> | Licensee: | Maitland City Council | | |
|---------------------|----------------------|-------------------|-----------------------|-------|-------------|
| Published | 28/11/2019 | EPL # | 6116 | | |
| Obtained | 28/11/2019 | | | | |
| Sampling Point | Monitoring Frequency | Pollutant | Measurement | Limit | Unit |
| Eastern Bank | Monthly | Carbon Dioxide | <0.1 | NA | Volume % |
| | Monthly | Oxygen | 21 | NA | Volume % |
| | | Carbon | | | |
| | Monthly | Monoxide | <20 | NA | ppm |
| | Monthly | Methane | <0.1 | NA | Volume % |
| | Monthly | Nitrogen | 79 | NA | Volume % |
| | Monthly | CO:O ₂ | NC | NA | deff. Ratio |
| LMH3 | Monthly | Carbon Dioxide | 1.9 | NA | Volume % |
| | Monthly | Oxygen | 19.1 | NA | Volume % |
| | | Carbon | | | |
| | Monthly | Monoxide | <20 | NA | ppm |
| | Monthly | Methane | 4.8 | NA | Volume % |
| | Monthly | Nitrogen | 74.2 | NA | Volume % |
| | Monthly | CO:O ₂ | NC | NA | deff. Ratio |
| LMH6 | Monthly | Carbon Dioxide | <0.1 | NA | Volume % |
| | Monthly | Oxygen | 21.3 | NA | Volume % |
| | | Carbon | | | |
| | Monthly | Monoxide | <20 | NA | ppm |
| | Monthly | Methane | <0.1 | NA | Volume % |
| | Monthly | Nitrogen | 78.7 | NA | Volume % |
| | Monthly | CO:O ₂ | NC | NA | deff. Ratio |
| LMH7 | Monthly | Carbon Dioxide | 29 | NA | Volume % |
| | Monthly | Oxygen | <0.1 | NA | Volume % |
| | | Carbon | | | |
| | Monthly | Monoxide | <20 | NA | ppm |
| | Monthly | Methane | 66.2 | NA | Volume % |
| | Monthly | Nitrogen | 4.8 | NA | Volume % |
| | Monthly | CO:O ₂ | NC | NA | deff. Ratio |
| LMH13 | Monthly | Carbon Dioxide | <0.1 | NA | Volume % |
| | Monthly | Oxygen | 21.5 | NA | Volume % |
| | | Carbon | | | |
| | Monthly | Monoxide | <20 | NA | ppm |
| | Monthly | Methane | <0.1 | NA | Volume % |
| | Monthly | Nitrogen | 78.5 | NA | Volume % |
| | Monthly | CO:O ₂ | NC | NA | deff. Ratio |
| LMH15 | Monthly | Carbon Dioxide | 0.7 | NA | Volume % |
| | Monthly | Oxygen | 19.5 | NA | Volume % |
| | | Carbon | | | |
| | Monthly | Monoxide | <20 | NA | ppm |
| | Monthly | Methane | <0.1 | NA | Volume % |
| | Monthly | Nitrogen | 79.8 | NA | Volume % |
| | Monthly | CO:O ₂ | NC | NA | deff. Ratio |

NC = not calculated