

| Sampled | 7/11/2014 | Licensee: | Maitland City Council | | |
|---------------------|----------------------|-------------------|-----------------------|-------|-------------|
| Published | 2/12/2014 | EPL # | 6116 | | |
| Obtained | 2/12/2014 | | | | |
| Sampling Point | Monitoring Frequency | Pollutant | Measurement | Limit | Unit |
| Eastern Bank | Monthly | Carbon Dioxide | 0.63 | NA | Volume % |
| | Monthly | Oxygen | 20.36 | NA | Volume % |
| | Monthly | Carbon Monoxide | 0.0001 | NA | Volume % |
| | Monthly | Methane | 0.06 | NA | Volume % |
| | Monthly | Hydrogen | *nd | NA | Volume % |
| | Monthly | Nitrogen | 79 | NA | Volume % |
| | Monthly | CO:O ₂ | 0.02 | NA | deff. Ratio |
| LMH3 | Monthly | Carbon Dioxide | 0.44 | NA | Volume % |
| | Monthly | Oxygen | 20.54 | NA | Volume % |
| | Monthly | Carbon Monoxide | 0.0001 | NA | Volume % |
| | Monthly | Methane | 0.08 | NA | Volume % |
| | Monthly | Hydrogen | *nd | NA | Volume % |
| | Monthly | Nitrogen | 78.9 | NA | Volume % |
| | Monthly | CO:O ₂ | 0.03 | NA | deff. Ratio |
| LMH6 | Monthly | Carbon Dioxide | 0.05 | NA | Volume % |
| | Monthly | Oxygen | 20.96 | NA | Volume % |
| | Monthly | Carbon Monoxide | *nd | NA | Volume % |
| | Monthly | Methane | *nd | NA | Volume % |
| | Monthly | Hydrogen | *nd | NA | Volume % |
| | Monthly | Nitrogen | 79.0 | NA | Volume % |
| | Monthly | CO:O ₂ | nc | NA | deff. Ratio |
| LMH7 | Monthly | Carbon Dioxide | 0.05 | NA | Volume % |
| | Monthly | Oxygen | 20.92 | NA | Volume % |
| | Monthly | Carbon Monoxide | *nd | NA | Volume % |
| | Monthly | Methane | *nd | NA | Volume % |
| | Monthly | Hydrogen | *nd | NA | Volume % |
| | Monthly | Nitrogen | 79 | NA | Volume % |
| | Monthly | CO:O ₂ | nc | NA | deff. Ratio |
| LMH13 | Monthly | Carbon Dioxide | 1.33 | NA | Volume % |
| | Monthly | Oxygen | 19.43 | NA | Volume % |
| | Monthly | Carbon Monoxide | 0.0001 | NA | Volume % |
| | Monthly | Methane | 0.05 | NA | Volume % |
| | Monthly | Hydrogen | *nd | NA | Volume % |
| | Monthly | Nitrogen | 79.2 | NA | Volume % |
| | Monthly | CO:O ₂ | 0.01 | NA | deff. Ratio |
| LMH15 | Monthly | Carbon Dioxide | 0.54 | NA | Volume % |
| | Monthly | Oxygen | 20.49 | NA | Volume % |
| | Monthly | Carbon Monoxide | 0.0001 | NA | Volume % |
| | Monthly | Methane | *nd | NA | Volume % |
| | Monthly | Hydrogen | *nd | NA | Volume % |
| | Monthly | Nitrogen | 79.0 | NA | Volume % |
| | Monthly | CO:O ₂ | 0.02 | NA | deff. Ratio |