

| <b>Sampled</b>      | <u>7/08/2015</u>     | <b>Licensee:</b>  | Maitland City Council |       |             |
|---------------------|----------------------|-------------------|-----------------------|-------|-------------|
| <b>Published</b>    | 26/08/2015           | <b>EPL #</b>      | 6116                  |       |             |
| <b>Obtained</b>     | 24/08/2015           |                   |                       |       |             |
| Sampling Point      | Monitoring Frequency | Pollutant         | Measurement           | Limit | Unit        |
| <b>Eastern Bank</b> | Monthly              | Carbon Dioxide    | 0.11                  | NA    | Volume %    |
|                     | Monthly              | Oxygen            | 20.9                  | NA    | Volume %    |
|                     | Monthly              | Carbon Monoxide   | 0.0002                | NA    | Volume %    |
|                     | Monthly              | Methane           | 0.01                  | NA    | Volume %    |
|                     | Monthly              | Hydrogen          | nd                    | NA    | Volume %    |
|                     | Monthly              | Nitrogen          | 79                    | NA    | Volume %    |
|                     | Monthly              | CO:O <sub>2</sub> | 2.58                  | NA    | deff. Ratio |
| <b>LMH3</b>         | Monthly              | Carbon Dioxide    | 0.1                   | NA    | Volume %    |
|                     | Monthly              | Oxygen            | 20.9                  | NA    | Volume %    |
|                     | Monthly              | Carbon Monoxide   | 0.0002                | NA    | Volume %    |
|                     | Monthly              | Methane           | 0.01                  | NA    | Volume %    |
|                     | Monthly              | Hydrogen          | nd                    | NA    | Volume %    |
|                     | Monthly              | Nitrogen          | 79                    | NA    | Volume %    |
|                     | Monthly              | CO:O <sub>2</sub> | 0.76                  | NA    | deff. Ratio |
| <b>LMH6</b>         | Monthly              | Carbon Dioxide    | 0.04                  | NA    | Volume %    |
|                     | Monthly              | Oxygen            | 20.95                 | NA    | Volume %    |
|                     | Monthly              | Carbon Monoxide   | 0.0002                | NA    | Volume %    |
|                     | Monthly              | Methane           | nd                    | NA    | Volume %    |
|                     | Monthly              | Hydrogen          | nd                    | NA    | Volume %    |
|                     | Monthly              | Nitrogen          | 79                    | NA    | Volume %    |
|                     | Monthly              | CO:O <sub>2</sub> | nc                    | NA    | deff. Ratio |
| <b>LMH7</b>         | Monthly              | Carbon Dioxide    | 0.15                  | NA    | Volume %    |
|                     | Monthly              | Oxygen            | 20.86                 | NA    | Volume %    |
|                     | Monthly              | Carbon Monoxide   | 0.0001                | NA    | Volume %    |
|                     | Monthly              | Methane           | 0.01                  | NA    | Volume %    |
|                     | Monthly              | Hydrogen          | nd                    | NA    | Volume %    |
|                     | Monthly              | Nitrogen          | 79                    | NA    | Volume %    |
|                     | Monthly              | CO:O <sub>2</sub> | 0.19                  | NA    | deff. Ratio |
| <b>LMH13</b>        | Monthly              | Carbon Dioxide    | 0.13                  | NA    | Volume %    |
|                     | Monthly              | Oxygen            | 20.92                 | NA    | Volume %    |
|                     | Monthly              | Carbon Monoxide   | nd                    | NA    | Volume %    |
|                     | Monthly              | Methane           | nd                    | NA    | Volume %    |
|                     | Monthly              | Hydrogen          | nd                    | NA    | Volume %    |
|                     | Monthly              | Nitrogen          | 78.9                  | NA    | Volume %    |
|                     | Monthly              | CO:O <sub>2</sub> | nc                    | NA    | deff. Ratio |
| <b>LMH15</b>        | Monthly              | Carbon Dioxide    | 0.04                  | NA    | Volume %    |
|                     | Monthly              | Oxygen            | 20.94                 | NA    | Volume %    |
|                     | Monthly              | Carbon Monoxide   | nd                    | NA    | Volume %    |
|                     | Monthly              | Methane           | nd                    | NA    | Volume %    |
|                     | Monthly              | Hydrogen          | nd                    | NA    | Volume %    |
|                     | Monthly              | Nitrogen          | 79                    | NA    | Volume %    |
|                     | Monthly              | CO:O <sub>2</sub> | nc                    | NA    | deff. Ratio |